



Changzhou Xinfulai Decorative Materials Co., Ltd

- Science & Technology, Industrial Park, Hutang Town, Wujin District, Changzhou City, Jiangsu Province, 213162, China.
- Web: www.xinflooring.com
- S Tel: +86(519)85851798
- Fax: +86(519)85856878
- Email:info@xinflooring.com (7*24 hours online)





WPC · SPC · LVT
Since 1998

Changzhou Xinfulai Decorative Materials Co., Ltd www.xinflooring.com

Company Profile

Xinfulai Decoration Material Co., Ltd was established since 1998, which is located in Changzhou City, Jiangsu Province, China. The transportation in Changzhou is very convenient: It takes only 50 minutes to go to Shanghai by high speed train. For cities such as Beijing, Shenzhen, Guangzhou, and Hong Kong, it's easy to take a direct flight to reach any of them in less than 2 hours. Welcome to visit our factory and office.


Xinfulal is mainly engaged in manufacturing and exporting PVC floor, including three main types—Luxury Vinyl Plank/Tile(LVP/LVT), Wood Plastic Composite (WPC), and Stone Plastic Composite (SPC). We have 350 professional workers and more than 20 technicians. The annual production capacity is more than 2,200 standard containers of indoor waterproof floors, and more than 95% of our orders are export orders. The US, Canada, Germany, Belgium, French, UK, Australia, and Spain are the major export markets of our company. We also have powerful R&D ability and innovation capability. We can accept OEM according to customer's requirements.

Xinfulai is one of the most professional manufacturers in China. We obtains the ISO9001 Quality System Certification, ISO14001 Environmental Certification, OHSA18001 Occupational Health and Safety Certification, SGS Certification Authority, Floor Score Certification, CSTB Certification and other certifications.


Xinfulai has a big showroom which is displaying all kinds of PVC floor and colorful decor film. It is more convenient for clients to choose the color and the type of floor.

Welcome all home and abroad clients to visit and negotiate business.


Wood Plastic Composite(WPC Floor)



Stone Plastic Composite(SPC Floor)



Luxury Vinyl Tile(LVT Floor)



Factory equipment





















Loading



Size

Unit				
inch	mm			
Vood Series	15			
6" x 36"	152.4 x 914.4mm			
8" x 36"	203.2 x 914.4mm			
9" x 36"	228.6 x 914.4mm			
6" x 48"	152.4 x 1219.2mm			
7" x 48"	177.8 x 1219.2mm			
8" x 48"	203.2 x 1219.2mm			
9" x 48"	228.6 x 1219.2mm			
7"×60"	177.8 x 1524mm			
8" x 60"	203.2 x 1524mm			
9" x 60"	228.6 x 1524mm			
7"×72"	177.8 x 1828.8mm			
8"×72"	203.2 x 1828.8mm			
9" x 72"	228.6 x 1828.8mm			
Marble Series				
12" x 12"	304.8 x 304.8mm			
18" x 18"	457.2x 457.2mm			
12" x 24"	304.8 x 609.6mm			
24" × 24"	609.6 x 609.6mm			







Total Thickness And Wear-layer Thickness

Total Thickness 2.0mm	Wear-layer Thickness						
	0.07mm	0.1mm	0.15mm	0.2mm	0.3mm	0.5mm	
2.5mm	0.07mm	0.1mm	0.15mm	0.2mm	0.3mm	0.5mm	
3.0mm	0.07mm	0.1mm	0.15mm	0.2mm	0.3mm	0.5mm	
4.0mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		
4.2mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		
5.0mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		
6.0mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		
7.0mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		
8.0mm	0.15mm	0.2mm	0.3mm	0.5mm	0.7mm		

Product Features

- Available in various patterns
- Nice stain and acid reduction
- Safety and non-slip
- Safe and environment-friendly
- Flexible and wearable
- Anti-bacterial and anti-corrosion
- Nice dimensional stability
- Sound absorbing and deadening
- Heat conduction and heat preservation
- Anti-flaming and fireproof
- With fire performance and B1 level
- Light weight and super thin
- Waterproof and damp proof
- Not affected by temperature and humidity
- Reduces building loads
- Convenient to lay, easy to clean and maintain.
- No special skills needed to lay the tiles










































































»»»»»»»» WPC/SPC/LVT

























»»»»»»»» WPC/SPC/LVT









































